

PUBLIC ASSESSMENT REPORT of the Medicines Evaluation Board in the Netherlands

Metformine HCl Sandoz 500 mg and 850 mg, film-coated tablets Sandoz BV, the Netherlands

metformin

This assessment report is published by the MEB pursuant Article 21 (3) and (4) of Directive 2001/83/EC. The report comments on the registration dossier that was submitted to the MEB and its fellow –organisations in all concerned EU member states.

It reflects the scientific conclusion reached by the MEB and all concerned member states at the end of the evaluation process and provides a summary of the grounds for approval of a marketing authorisation.

This report is intended for all those involved with the safe and proper use of the medicinal product, i.e. healthcare professionals, patients and their family and carers. Some knowledge of medicines and diseases is expected of the latter category as the language in this report may be difficult for laymen to understand.

This assessment report shall be updated by a following addendum whenever new information becomes available.

General information on the Public Assessment Reports can be found on the website of the MEB.

To the best of the MEB's knowledge, this report does not contain any information that should not have been made available to the public. The MAH has checked this report for the absence of any confidential information.

EU-procedure number: NL/H/1170/001- 002/DC Registration number in the Netherlands: RVG 100915, 100934

Date of first publication: 10 February 2009 Last revision: 21 December 2010

Pharmacotherapeutic group: Blood glucose lowering drugs, excl. insulins; biguanides

ATC code: A10BA02
Route of administration: oral use

Therapeutic indication: type 2 diabetes mellitus Prescription status: prescription only Date of authorisation in NL: 5 February 2009

Concerned Member States: Decentralised procedure with BE, DK, EE, ES (only 850 mg), FI,

IT, LV (only 850 mg), NO, PL, PT (only 850 mg), SE, SI, SK, UK

Application type/legal basis: Directive 2001/83/EC, Article 10(1)

For product information for healthcare professionals and users, including information on pack sizes and presentations, see Summary of Product Characteristics (SPC), package leaflet and labelling.



I INTRODUCTION

Based on the review of the quality, safety and efficacy data, the member states have granted a marketing authorisation for Metformine HCl 500 mg and 850 mg, film-coated tablets from Sandoz B.V. The date of authorisation was on 5 February 2009 in the Netherlands. The product is indicated for treatment of type 2 diabetes mellitus, particularly in overweight patients, when dietary management and exercise alone does not result in adequate glycaemic control.

A comprehensive description of the indications and posology is given in the SPC.

Metformin is a biguanide with antihyperglycaemic effects, lowering both basal and postprandial plasma glucose. It does not stimulate insulin secretion and therefore does not produce hypoglycaemia. Metformin may act via 3 mechanisms:

- reduction of hepatic glucose production by inhibiting gluconeogenesis and glycogenolysis
- in muscle, by increasing insulin sensitivity, improving peripheral glucose uptake and utilisation
- and delay of intestinal glucose absorption.

Metformin stimulates intracellular glycogen synthesis by acting on glycogen synthase. Metformin increases the transport capacity of all types of membrane glucose transporters known to date. Controlled clinical studies in a limited paediatric population aged 10-16 years with type 2 diabetes treated during one year demonstrated a similar response in glycaemic control to that seen in adults.

This decentralised procedure concerns a generic application claiming essential similarity with the innovator product Glucophage which has been registered in Finland by Lipha S.A. Merck, France since 1967 (original product). In addition, reference is made to Glucophage authorisations in the individual member states (reference product, NL License RVG 00447).

The marketing authorisation is granted based on article 10(1)of Directive 2001/83/EC.

This type of application refers to information that is contained in the pharmacological-toxicological and clinical part of the dossier of the authorisation of the reference product. A reference product is a medicinal product authorised and marketed on the basis of a full dossier, i.e. including chemical, biological, pharmaceutical, pharmacological-toxicological and clinical data. This information is not fully available in the public domain. Authorisations for generic products are therefore linked to the 'original' authorised medicinal product, which is legally allowed once the data protection time of the dossier of the reference product has expired. For this kind of application, it has to be demonstrated that the pharmacokinetic profile of the product is similar to the pharmacokinetic profile of the reference product. To this end the MAH has submitted two bioequivalence studies in which the pharmacokinetic profile of the products is compared with the pharmacokinetic profile of the reference products Glucophage® 500 and 850 mg, registered in Germany. A bioequivalence study is the widely accepted means of demonstrating that difference of use of different excipients and different methods of manufacture have no influence on efficacy and safety. These generic products can be used instead of their reference product.

No new pre-clinical and clinical studies were conducted, which is acceptable for this abridged application.

No scientific advice has been given to the MAH with respect to these products.

No paediatric development programme needs to be submitted for this generic application.



II SCIENTIFIC OVERVIEW AND DISCUSSION

II.1 Quality aspects

Compliance with Good Manufacturing Practice

The RMS has been assured that acceptable standards of GMP are in place for these product types at all sites responsible for the manufacture and assembly of this product.

For manufacturing sites within the Community, the RMS has accepted copies of current manufacturer authorisations issued by inspection services of the competent authorities as certification that acceptable standards of GMP are in place at those sites.

Active substance

General information

The active substance is metformine hydrochloride and is described in the European Pharmacopoeia (Ph.Eur.)*.

The CEP procedure is used for the different active substance manufacturers. Under the official Certification Procedures of the EDQM of the Council of Europe, manufacturers or suppliers of substances for pharmaceutical use can apply for a certificate of suitablity concerning the control of the chemical purity and microbiological quality of their substance according to the corresponding specific monograph, or the evaluation of reduction of Transmissible Spongiform Encephalopathy (TSE) risk, according to the new general monograph, or both. This procedure is meant to ensure that the quality of substances is guaranteed and that these substances comply with the European Pharmacopoeia, the official handbook in which methods of analysis with specifications for substances are laid down by the authorities of the EU.

Manufacturing process

This is covered by the CEP.

Quality control of drug substance

The drug substance specification is in line with the Ph.Eur. and with the CEP, with additional requirements for other impurities. The specification is acceptable in view of the various European guidelines.

Batch analytical data demonstrating compliance with the drug substance specification have been provided and/or are in compliance with the specifications is part of the CEP.

Stability of drug substance

Stability data on three batches of the active substance have been provided for one of the manufacturers. The batches were stored at 25°C/60% RH for 66 months and at 40°C/75% RH for 6 months. The batches were adequately stored. No increase or decrease for any of the tested parameters is observed. The claimed re-test period of 5 years without specific storage condition, when stored under the proposed conditions.

The active substance of the other manufacturers is stable for respectively 5 years and 1 year, when adequately. Assessment thereof was part of granting the CEP and has been granted by the EDQM.

* Ph.Eur. is an official handbook (pharmacopoeia) in which methods of analysis with specifications for substances are laid down by the authorities of the E.U

Drug Product

Composition

The drug products are white, film-coated tablets with break line on both sides. Two different strengths 500 mg and 850 mg are manufactured. The 500 mg tablets are engraved M500, the 850 mg tablets are engraved M850. The excipients used are: microcrystalline cellulose, sodium starch glycollate (type A), copolyvidone, colloidal anhydrous silica, magnesium stearate, lactose monohydrate, methylhydroxypropylcellulose, titanium dioxide and macrogol 4000. The tablets are either packed in PP-



aluminium blister packs, PVC/PVDC aluminium blister packs or HDPE bottles. The excipients and packagings are usual for this type of dosage form.

Pharmaceutical development

The development of the product has been described. The objective was to develop a product that would be essentially similar to the innovator product Glucophage®. The choice of excipients is justified and their functions explained. The applicant's objective was to obtain a formulation of film-coated tablets containing metformin hydrochloride which is similar to the innovator's product. In the course of formulation development the granulation process was changed from organic to aqueous in order to minimize environmental pollution.

Dissolution profiles of prototype products manufactured with the organic granulation fluid and the innovator's product versus the proposed products manufactured with the aqueous granulation fluid are compared and meet the BP requirements of not less than 75% (Q) after 30 minutes.

The influence of hardness of the tablets on dissolution was examined, no difference was found. Divisibility was checked and complied with the Ph.Eur. requirements.

The pharmaceutical development of the product has been adequately performed.

Manufacturing process

Granules of metformine hydrochloride are made by aqueous granulation. The granules are mixed and sieved with other excipients to form the tabletting mass of which the cores are pressed. Then the cores are coated. The manufacturing process has been adequately validated according to relevant European guidelines. Process validation data on the 500 mg product have been presented for nine full-scaled batches. On the 850 mg product process validation data have been presented for 24 full scale batches.

Excipients

All the individual excipients comply with the Ph.Eur. These specifications are acceptable.

Quality control of drug product

The drug product specification includes tests for appearance, identity, assay, degradation, uniformity of dosage units, resistance to crushing, disintegration, dissolution and microbiology.

The release and shelf-life specifications are identical and are acceptable.

It has been demonstrated that the applied method for impurity testing and for determining the assay is capable of detecting all potential degradation products of metformin (stability indicating).

All analytical methods have been adequately described and validated.

Batch analytical data from the proposed production from both production sites have been provided on nine full scale batches of the 500 mg strength and 24 full scale batches of the 850 mg product, demonstrating compliance with the release specification.

Stability of drug product

Stability data on the 500 mg and 850 mg product have been provided on respectively 19 and 21 full scaled and pilot-scaled batches. The batches were stored at 25°C/60% RH up to 60 months and 40°C/75% RH up to 6 months. Some batches were stored at 30°/65% RH up to 12 months. The conditions used in the stability studies are according to the ICH stability guideline. The batches were stored in BOTH blister packs and HDPE bottles

Since all parameters stay within the shelf life limits during normal and accelerated testing and no up or down trends are observed a shelf-life of 60 months seems acceptable. A photostability study performed on the tablets packed in the HDPE bottles demonstrated a slight coloration therefore the indication store in the bottle in the outer carton in order to protect from light is added to the HDPE bottles. The granted shelf life is 60 months in PVC/PVDC-aluminium blisters or PP-blisters without storage conditions or 60 months in HDPE bottles with the indication store in the original package to protect from light.

Specific measures concerning the prevention of the transmission of animal spongiform encephalopathies

A Certificate of suitability for lactose monohydrate, issued by the EMEA, has been provided and compliance with the Note for Guidance, on Minimising the Risk of Transmitting Animal Spongiform Encephalopathy Agents via medicinal products, has been satisfactorily demonstrated.

For Magnesium stearate a statement claiming the vegetable origin of magnesium stearate has been included.

$$\frac{c \ B \ G}{M \ E^{\ B}}$$

II.2 Non clinical aspects

This product is a generic formulation of Glucophage, which is available on the European market for more than 40 years. No new preclinical data have been submitted, and therefore the application has not undergone preclinical assessment. This is acceptable for this type of application.

Environmental risk assessment

The product is intended as a substitute for other identical products on the market. The approval of this product will not result in an increase in the total quantity of metformin released into the environment. It does not contain any component, which results in an additional hazard to the environment during storage, distribution, use and disposal.

II.3 Clinical aspects

Metformin is a well-known active substance with established efficacy and tolerability.

Although the two formulations were dose proportional, the MAH has submitted for this generic formulation two bioequivalence studies in which the pharmacokinetic profile of the test product Metformine HCI Sandoz is compared with the reference product Glucophage, one for the 500 mg strength (Study 2001-57-FTA-1), and one for the 850 mg strength (Study 2001-58-FTA-1).

The formula and preparation of the bioequivalence batches is identical to the formula proposed for marketing. The choice of the reference product in the bioequivalence study has been justified by comparison of dissolution results and compositions of reference products in different member states.

The MEB has been assured that the bioequivalence studies have been conducted in accordance with acceptable standards of Good Clinical Practice (GCP, see Directive 2005/28/EC) and Good Laboratory Practice (GLP, see Directives 2004/9/EC and 2004/10/EC).

Study 2001-57-FTA-1

A single-dose, open, randomized, two-period crossover bioequivalence study was carried out under fasted conditions in 28 healthy male subjects, aged 18-42 years. Each subject received a single dose (500 mg) of one of the 2 metformin formulations. The tablet was orally administered with 240 ml water. No food was allowed from 12 hours before dosing until at least 4 hours after dosing.

Blood samples were collected prior to study drug administration and at 0.5, 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 6, 7, 8, 10, 12 and 14 hours post-dose.

The analytical method is adequately validated and considered acceptable for analysis of the plasma samples. The methods used in this study for the pharmacokinetic calculations and statistical evaluation are considered acceptable.

Results

Twenty-eight subjects were eligible for pharmacokinetic analysis.

Table 1. Pharmacokinetic parameters for metformin (as arithmetic mean ± SD, t_{max} as median (range)) under fasted conditions.

Treatment	AUC _{0-t}	AUC _{0-∞}	C _{max}	t _{max}	t _{1/2}
N=28	μg/ml/h	μg/ml/h	μg/ml	h	h
Test	7.15 ± 1.70	7.52 ± 1.80	1.21 ± 0.35	3.0	2.8 ± 0.4
				(0.5-4.5)	
Reference	7.93 ± 2.37	8.32 ± 2.49	1.29 ± 0.38	3.0	2.9 ± 0.4
				(0.5-5.0)	
*Ratio (90% CI)	0.91 (0.84-0.99)	0.91 (0.85-0.98)	0.94 (0.85-1.03)	0.02	
				(-0.33-0.37)	
CV (%)	17.1	16.7	19.3		
, ,					



AUC_{0-∞} area under the plasma concentration-time curve from time zero to infinity **AUC**_{0-t} area under the plasma concentration-time curve from time zero to t hours

 $\begin{array}{ll} \textbf{C}_{\text{max}} & \text{maximum plasma concentration} \\ \textbf{t}_{\text{max}} & \text{time for maximum concentration} \end{array}$

t_{1/2} half-life

*In-transformed values

The 90% confidence intervals calculated for AUC_{0-t} , $AUC_{0-\infty}$ and C_{max} are in agreement with those calculated by the MAH and are within the bioequivalence acceptance range of 0.80-1.25. Based on the pharmacokinetic parameters of metformin under fasted conditions, it can be concluded that Metformine HCI Sandoz 500 mg and Glucophage 500 mg are bioequivalent with respect to rate and extent of absorption, and fulfil the bioequivalence requirements outlined in the relevant CHMP Note for Guidance.

Study 2001-58-FTA-1

A single-dose, open, randomized two-period crossover bioequivalence study was carried out under fasted conditions in 24 healthy male subjects, aged 18-40 years. Each subject received a single dose (850 mg) of one of the 2 metformin formulations. The tablet was orally administered with 240 ml water. No food was allowed from 12 hours before dosing until at least 4 hours after dosing.

Blood samples were collected prior to study drug administration and at 0.5, 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 6, 7, 8, 10, 12 and 14 hours post-dose. Twenty-four subjects were eligible for pharmacokinetic analysis. The analytical method is adequately validated and considered acceptable for analysis of the plasma samples. The methods used in this study for the pharmacokinetic calculations and statistical evaluation are considered acceptable.

Results

Twenty-four subjects were eligible for pharmacokinetic analysis.

Table 2. Pharmacokinetic parameters for metformin (as arithmetic mean \pm SD, t_{max} as median (range)) under fasted conditions.

Treatment N=24	AUC _{0-t}	AUC _{0-∞}	C _{max}	t _{max}	t _{1/2}
N-24	μg/ml/h	μg/ml/h	μg/ml	h	h
Test	9.83 ± 2.41	10.32 ± 2.55	1.67 ± 0.37	3.0	2.9 ± 0.4
				(1.5-4.0)	
Reference	9.05 ± 2.37	9.52 ± 2.47	1.63 ± 0.44	2.5	3.0 ± 0.4
				(1.0-4.0)	
*Ratio (90% CI)	1.09	1.09	1.03	0.25	
	(1.00-1.19)	(1.00-1.19)	(0.95-1.12)	(0.00-0.50)	
CV (%)	17.9	17.7	17.6		

 $AUC_{0-\infty}$ area under the plasma concentration-time curve from time zero to infinity AUC_{0-t} area under the plasma concentration-time curve from time zero to t hours

 $\begin{array}{ll} \textbf{C}_{\text{max}} & \text{maximum plasma concentration} \\ \textbf{t}_{\text{max}} & \text{time for maximum concentration} \end{array}$

t_{1/2} half-life

*In-transformed values

The 90% confidence intervals calculated for AUC_{0-t} , $AUC_{0-\infty}$ and C_{max} are in agreement with those calculated by the MAH and are within the bioequivalence acceptance range of 0.80-1.25. Based on the pharmacokinetic parameters of metformin under fasted conditions, it can be concluded that Metformin HCl Sandoz 850 mg and Glucophage 850 mg are bioequivalent with respect to rate and extent of absorption, and fulfil the bioequivalence requirements outlined in the relevant CHMP Note for Guidance.

<u>In conclusion</u>: Bioequivalence of the Metformin HCl Sandoz 500 mg and Glucophage 500 mg, as well as between Metformin HCl Sandoz 850 mg and Glucophage 850 mg reference tablets was adequately shown using appropriate bioequivalence studies.



Risk Management Plan and Pharmacovigilance system

Metformin was first approved in 1967, and there is now more than 10 years post-authorisation experience with the active substance. The safety profile of metformin can be considered to be well established and no product specific pharmacovigilance issues were identified pre- or postauthorisation, which are not adequately covered by the current SPC. Additional risk minimisation activities have not been identified for the reference medicinal product. The MAH has a pharmacovigilance system at their disposal, which is based on the current European legislation. Routine pharmacovigilance activities are sufficient to identify actual or potential risks and a detailed European Risk Management Plan is not necessary for this product.

Product information

The content of the SPC approved during the decentralised procedure is in accordance with that accepted for the reference product Glucophage marketed by Merck. For the package leaflet the text of Glucophage was also used as reference.

Readability test

The package leaflet has been evaluated via a user consultation study in accordance with the requirements of Articles 59(3) and 61(1) of Directive 2001/83/EC. The test consisted of two rounds with 10 participants in the first round and 12 participants in the second round. A written readability test procedure was used performed via a questionnaire with 15 open questions on the content of the leaflet and 17 statements regarding the package leaflet structure. The questions covered the following areas sufficiently: traceability, comprehensibility and applicability. There were sufficient questions about the critical sections. The results were satisfactory, i.e. in the first round the participants located and understood 94.6% of the information queried in each question concerning the content of the final package leaflet. In the second round this percentage was 93.6%. The readability test has been sufficiently performed.



III OVERALL CONCLUSION AND BENEFIT-RISK ASSESSMENT

Metformine HCI Sandoz 500 mg and 850 mg, film-coated tablets have a proven chemical-pharmaceutical quality and are generic forms of Glucophage. Glucophage is a well-known medicinal product with an established favourable efficacy and safety profile.

Bioequivalence has been shown to be in compliance with the requirements of European guidance documents.

The MAH has provided written confirmation that systems and services are in place to ensure compliance with their pharmacovigilance obligations.

The SPC is consistent with that of the reference product. The SPC, package leaflet and labelling are in the agreed templates and are in agreement with other metformin containing products. Braille conditions are met by the MAH.

The Board followed the advice of the assessors. There was no discussion in the CMD(h). Agreement between member states was reached during a written procedure. The member states, on the basis of the data submitted, considered that essential similarity has been demonstrated for Metformine HCI Sandoz with the reference product, and have therefore granted a marketing authorisation. The decentralised procedure was finished on 14 October 2008. Metformine HCI Sandoz is authorised in the Netherlands on 5 February 2009.

Metformin takes part in the PSUR synchronisation project of the Heads of Medicines Agencies. In view of the EU work sharing project, the MAH will follow the harmonised birth date and it's data lock point. The allocated first data lock point for metformin is April 2009. The first PSUR is expected within 60 days from data lock point. Thereafter the PSUR submission cyclus is 3 years.

The date for the first renewal will be December 2012.

There were no <u>post-approval commitments</u> made during the procedure.



List of abbreviations

ASMF Active Substance Master File

ATC Anatomical Therapeutic Chemical classification

AUC Area Under the Curve BP British Pharmacopoeia

CEP Certificate of Suitability to the monographs of the European Pharmacopoeia

CHMP Committee for Medicinal Products for Human Use

CI Confidence Interval

C_{max} Maximum plasma concentration

CMD(h) Coordination group for Mutual recognition and Decentralised procedure for

human medicinal products

CV Coefficient of Variation EDMF European Drug Master File

EDQM European Directorate for the Quality of Medicines

EU European Union
GCP Good Clinical Practice
GLP Good Laboratory Practice
GMP Good Manufacturing Practice

ICH International Conference of Harmonisation

MAH Marketing Authorisation Holder

MEB Medicines Evaluation Board in the Netherlands

OTC Over The Counter (to be supplied without prescription)

PAR Public Assessment Report Ph.Eur. European Pharmacopoeia

PL Package Leaflet

PSUR Periodic Safety Update Report

SD Standard Deviation

SPC Summary of Product Characteristics

 $t_{1/2}$ Half-life

 $t_{\text{max}} \hspace{1.5cm} \text{Time for maximum concentration} \\$

TSE Transmissible Spongiform Encephalopathy USP Pharmacopoeia in the United States



STEPS TAKEN AFTER THE FINALISATION OF THE INITIAL PROCEDURE - SUMMARY

Scope	Procedure	Type of	Date of start	Date of end	Approval/	Assessment
Scope	number	modification	of the	of the	non	report
	Humber	modification	procedure	procedure	approval	attached
Change in the name of the	NL/H/1170/	Р	9-2-2009	9-2-2009	Approval	N
medicinal product in Slovenia	001-002/P/	'	9-2-2009	3-2-2003	Дрргочаг	IN
during national phase.	001-002/17					
Repeat-use procedure with France.	NL/H/1170/	E	15-4-2009	10-6-2009	Approval	Y, Annex I
Repeat-use procedure with France.	001-002/E/	_	13-4-2009	10-0-2009	Арргочаг	I, AIIIEX I
	001-002/L/					
Submission of a new or updated	NL/H/1170/	IA	23-10-2009	6-11-2009	Approval	N
Ph. Eur. Certificate of Suitability for	001-002/IA/	IA	23-10-2009	0-11-2009	Αρριοναί	IN
an active substance or starting	001-002/174					
material/reagent/intermediate in the	001					
manufacturing process of the active						
substance. From a manufacturer						
currently approved.						
Change in test procedure of the	NL/H/1170/	IB	26-10-2009	25-11-2009	Approval	N
finished product. Other changes to	001-002/IB/	1.5	20 10 2000	20 11 2000	Approva	.,
a test procedure, including	001					
replacement or addition of a test						
procedure.						
Change in the name of the	NL/H/1170/	IB	26-10-2009	25-11-2009	Approval	N
medicinal product in Belgium.	001-002/IB/				1.1.	
, o	003					
Change in the name of the	NL/H/1170/	IB	10-12-2009	30-12-2009	Approval	N
medicinal product in France.	001-002/IB/					
·	004					
Change in batch size of the active	NL/H/1170/	IA	12-1-2010	26-1-2010	Approval	N
substance or intermediate. Up to	001-002/IA/					
10-fold compared to the original	005					
batch size approved at the grant of						
the marketing authorisation.						
B.II.a, unforeseen. The Opdary	NL/H/1170/	IB	25-6-2010	17-8-2010	Approval	N
coating film is replaced by a lactose	001-002/IB/					
free coating film.	006					
Deletion of manufacturing sites	NL/H/1170/	IA	19-8-2010	18-9-2010	Approval	N
(including for an active substance,	002/IA/					
intermediate or finished product,	007					
packaging site, manufacturer						
responsible for batch release, site						
where batch control takes place, or						
supplier of a starting material,						
reagent or excipient (when						
mentioned in the dossier).	NII // 1/4470/	1.0	40.0.0040	40.40.0040	A	N.I.
Submission of a new or updated	NL/H/1170/	IA	16-9-2010	18-10-2010	Approval	N
Ph. Eur. certificate of suitability:	001-002/IA/					
For an active substance For a	800					
starting						
material/reagent/intermediate used						
in the manufacturing process of the						
active substance For an excipient						
B.III.1.a) European Pharmacopoeial Certificate of						
Suitability to the relevant Ph. Eur.						
Monograph. 3 New certificate from a new manufacturer (replacement						
or addition).						
Change in the name and/or	NL/H/1170/	IA/G	13-11-2010	13-12-2010	Approval	N
address of the marketing	001-002/IA/	IA/G	13-11-2010	10-12-2010	Approvai	111
authorisation holder. MAH change	001-002/1A/ 009/G					
for UK only.	333/3					
ior ore orny.	i		l	l	l	

$$\frac{c \ B \ G}{M \ E^{\ B}}$$

Annex I - Repeat use - Variation NL/H/1170/001-002/E/001

The Repeat use procedure started on 15 April 2009. There was no discussion in the CMD(h). Agreement between member states was reached during a written procedure. The concerned member state (FR), on the basis of the data submitted, considered that essential similarity has been demonstrated for Gemcitabine Metformine HCl Sandoz 500 mg and 850 mg with the reference product, and have therefore granted a marketing authorisation. The repeat use procedure was finished on 10 June 2009.

Metformin takes part in the PSUR synchronisation project of the Heads of Medicines Agencies. In view of the EU work sharing project, the MAH will follow the harmonised birth date and it's data lock point. The allocated first data lock point for metformin is April 2009. The first PSUR is expected within 60 days from data lock point. Thereafter the PSUR submission cyclus is 3 years.

The date for the first renewal will be December 2012.

There were no post-approval commitments made during the procedure.